L	Hits	Search Text	DB	Time stamp
Number 1	2479	((legacy stand\$1alone) adj1	USPAT;	2004/06/02
1	23/3	(application \$1 program \$1 system \$1)) and	US-PGPUB;	11:10
		(GUI\$1 (graphical adj2 interface) (user	EPO; JPO;	
	1	adj interface)) and client\$1 and server\$1	DERWENT;	
			IBM_TDB	
2	131	((legacy stand\$1alone) adj1	USPAT;	2004/06/02
		(application\$1 program\$1 system\$1)) same	US-PGPUB;	11:11
		(GUI\$1 (graphical adj2 interface) (user adj interface)) same client\$1 same	EPO; JPO; DERWENT;	
		server\$1	IBM TDB	
-	2	· ·	USPAT;	2004/05/28
		•	US-PGPUB;	14:32
			EPO; JPO;	
			DERWENT;	
	198	//minutition(2, mulitos doc1momnos(2), monus	IBM_TDB	2004/06/01
-	196	((partition\$3 split\$5 de\$1compos\$3) near5 (component\$1 application\$1 program\$1))	USPAT; US-PGPUB;	2004/06/01 10:19
		and ((stand\$1alone legacy) with	EPO; JPO;	10.19
		(distribut\$3 client\$1server\$1))	DERWENT;	
1			IBM_TDB	
	79	, , ((())	USPAT;	2004/05/27
		with (distribut\$3 client\$1server\$1)) with	US-PGPUB;	17:23
		(application\$1 program\$1 system\$1))	EPO; JPO; DERWENT;	
			IBM TDB	
_	100	717/\$.ccls. and (((stand\$1alone legacy)	USPAT;	2004/05/27
1		with (distribut\$3 client\$1server\$1)) with	US-PGPUB;	17:40
		(application\$1 program\$1 system\$1))	EPO; JPO;	
			DERWENT;	
1_	534	//components1 hears1\ adi2 /amlianti	IBM_TDB USPAT;	2004/05/27
_	334	((component\$1 bean\$1) adj2 (application\$1 program\$1 system\$1)) and (((stand\$1alone	US-PGPUB;	17:49
1		legacy) with (distribut\$3	EPO; JPO;	
		client\$1server\$1)) with (application\$1	DERWENT;	
		program\$1 system\$1))	IBM_TDB	
-	141	1 , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/05/27
		<pre>(application\$1 program\$1 system\$1)) and (((stand\$1alone legacy) with (distribut\$3</pre>	US-PGPUB; EPO; JPO;	17:49
		client\$1server\$1)) with (application\$1	DERWENT;	
		program\$1 system\$1))) and ((analyz\$3	IBM TDB	
		determin\$3) near5 (component\$1 bean\$1))	_	
-	131		USPAT;	2004/05/27
	1	(application\$1 program\$1 system\$1)) and	US-PGPUB;	17:50
		<pre>(((stand\$1alone legacy) with (distribut\$3 client\$1server\$1)) with (application\$1</pre>	EPO; JPO; DERWENT;	
1		program\$1 system\$1))) and ((analyz\$3	IBM TDB	
		determin\$3) near3 (component\$1 bean\$1))		
-	76	((((component\$1 bean\$1) adj2	USPAT;	2004/05/27
		(application\$1 program\$1 system\$1)) and	US-PGPUB;	17:50
		(((stand\$lalone legacy) with (distribut\$3	EPO; JPO;	
		client\$1server\$1)) with (application\$1 program\$1 system\$1))) and ((analyz\$3	DERWENT; IBM TDB	
		determin\$3) near3 (component\$1 bean\$1)))		'
1		and ((wrap\$5 adap\$4 encapsulat\$3) near5		
		(component\$1 bean\$1))		
-	2	6560618.pn.	USPAT;	2004/05/28
	1		US-PGPUB; EPO; JPO;	12:03
			DERWENT;	
			IBM TDB	
-	2	6510468.pn.	USPAT;	2004/05/28
			US-PGPUB;	14:33
			EPO; JPO;	
			DERWENT;	
_	2	6532463.pn.	IBM_TDB USPAT;	2004/05/28
			US-PGPUB;	14:34
			EPO; JPO;	
			DERWENT;	
	L		IBM TDB	L

Search History 6/2/04 11:24:03 AM

_	2	5822585.pn.	USPAT;	2004/05/28
			US-PGPUB;	14:35
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	2	5430876.pn.	USPAT;	2004/05/28
-		5450676.pit.		15:33
			US-PGPUB;	12:33
			EPO; JPO;	
			DERWENT;	1
			IBM_TDB	
-	2	6161107.pn.	USPAT;	2004/05/28
		-	US-PGPUB;	15:34
			EPO; JPO;	i
			DERWENT;	İ
			IBM TDB	
	ا م	C00C0E1	_	2004/05/28
-	2	6286051.pn.	USPAT;	
			US-PGPUB;	15:34
	į		EPO; JPO;	
			DERWENT;	
1			IBM TDB	
-	2	6385769.pn.	USPAT;	2004/05/28
Ī		•	US-PGPUB;	15:35
			EPO; JPO;	
Ī			DERWENT;	
Ī				
Ī		1,, 1,,, 40 31,45	IBM_TDB	2004/05/00
[-	6574	((partition\$3 split\$5) near5 (component\$1	USPAT;	2004/05/28
1		bean\$1 object\$1)) and ((generat\$3 build\$3	US-PGPUB;	15:37
		creat\$3) near4 (component\$1 bean\$1	EPO; JPO;	
		object\$1))	DERWENT;	1
			IBM TDB]
I _	3616	((partition\$3 split\$5) near5 (component\$1	USPAT;	2004/05/28
_	2010		US-PGPUB;	15:37
		bean\$1)) and ((generat\$3 build\$3 creat\$3)		±3.3/
		near4 (component\$1 bean\$1))	EPO; JPO;	l l
			DERWENT;	
			IBM_TDB	
-	153	(((partition\$3 split\$5) near5	USPAT;	2004/05/28
i		(component\$1 bean\$1)) and ((generat\$3	US-PGPUB;	15:39
		build\$3 creat\$3) near4 (component\$1	EPO; JPO;	
1		bean\$1))) and ((legacy stand\$1alone) adj2	DERWENT;	
		(application\$1 program\$1 system\$1))	IBM TDB	
	101		· -	2004/05/28
-	101	((((partition\$3 split\$5) near5	USPAT;	
		(component\$1 bean\$1)) and ((generat\$3	US-PGPUB;	15:39
		build\$3 creat\$3) near4 (component\$1	EPO; JPO;	
		bean\$1))) and ((legacy stand\$1alone) adj2	DERWENT;	
		(application\$1 program\$1 system\$1))) and	IBM_TDB	
		(GUI\$1 (graphical adj user adj2	-	
1		interface))		
L_	108	1 = ' '	IISDAT.	2004/05/28
-	108	((((partition\$3 split\$5) near5	USPAT;	1
		(component\$1 bean\$1)) and ((generat\$3	US-PGPUB;	15:39
		build\$3 creat\$3) near4 (component\$1	EPO; JPO;	
		bean\$1))) and ((legacy stand\$1alone) adj2	DERWENT;	
ļ		(application\$1 program\$1 system\$1))) and	IBM_TDB	
1		(GUI\$1 (graphical adj user adj2	-	
		interface) browser\$1)	Ī	
1_	102	((partition\$3 split\$5 de\$1compos\$3) near5	USPAT;	2004/06/01
	102	(component\$1 bean\$1)) and ((stand\$1alone	US-PGPUB;	10:26
	ŀ		I .	10.20
		legacy) with (distribut\$3	EPO; JPO;	
	1	client\$1server\$1))	DERWENT;	[
	1		IBM_TDB	
-	87	((partition\$3 split\$5 de\$1compos\$3) near3	USPAT;	2004/06/01
		(component\$1 bean\$1)) and ((stand\$1alone	US-PGPUB;	10:27
		legacy) with (distribut\$3	EPO; JPO;	
		client\$1server\$1))	DERWENT;	
		OTTORIOGISCI VCIQI//		
		//	IBM_TDB	2004/06/01
-	233	((partition\$3 split\$5 de\$1compos\$3	USPAT;	2004/06/01
		<pre>generat\$3) near3 (component\$1 bean\$1))</pre>	US-PGPUB;	10:56
		and ((stand\$1alone legacy) with	EPO; JPO;	
1		(distribut\$3 client\$1server\$1))	DERWENT;	
			IBM TDB	
	,	1		

	166	(generat\$ near4 (protocol\$1	USPAT;	2004/06/01
_	100	communication)) and ((stand\$1alone	US-PGPUB;	10:57
		legacy) with (distribut\$3	EPO; JPO;	****
ļ		client\$1server\$1))	DERWENT;	
		CITEMICATSELACIALI	IBM TDB	
	57	(generat\$ near4 protocol\$1) and	USPAT;	2004/06/01
-	3/	((stand\$1alone legacy) with (distribut\$3	US-PGPUB;	10:57
		client\$1server\$1))	EPO; JPO;	10.57
		Clientsiserversijj	DERWENT;	
			IBM TDB	
	122	//	USPAT;	2004/06/01
-	132	((partition\$3 split\$4) near5	US-PGPUB;	17:30
		(application \$1 program \$1)) and	EPO; JPO;	17.30
		((stand\$1alone legacy) with	DERWENT;	İ
		(client\$1server distribut\$3))	IBM TDB	
	36	(//m-ntition\$2 cmlit\$4) nonE	USPAT;	2004/06/01
_	36	(((partition\$3 split\$4) near5		17:33
		(application\$1 program\$1)) and	US-PGPUB;	17:33
		((stand\$1alone legacy) with	EPO; JPO;	
		(client\$1server distribut\$3))) and	DERWENT;	
		((wrap\$4 encapsulat\$3) with (component\$1	IBM_TDB	
	ا	bean\$1) with (client\$1 server\$1))	USPAT;	2004/06/01
-	44	, , , , <u>,</u> , , , , , , , , , , , , , ,	USPAT; US-PGPUB;	17:34
		(application\$1 program\$1)) and	·	17:34
		((stand\$1alone legacy) with	EPO; JPO;	
		(client\$1server distribut\$3))) and	DERWENT;	
		((wrap\$4 encapsulat\$3) with (component\$1	IBM_TDB	
	410	bean\$1))	USPAT;	2004/06/02
-	419	<pre>(wrap\$4 encapsulat\$3) with client\$1 with (component\$1 bean\$1 code\$1 module\$1)</pre>	USPAT; US-PGPUB;	10:07
		(combonenci peauit codeit moduleit)	EPO; JPO;	10.07
			DERWENT;	
			IBM TDB	
ļ		//	USPAT;	2004/06/02
-	50	((wrap\$4 encapsulat\$3) with client\$1 with	USPAT; US-PGPUB;	10:07
		(component\$1 bean\$1 code\$1 module\$1)) and		10.07
		((stand\$1alone legacy) with (distribut\$3	EPO; JPO; DERWENT;	
		client\$1server\$1))		
i	İ		IBM_TDB	